

## Contents

Comparisons and Ordering . . . . .	1
Arithmetic . . . . .	1
Boolean . . . . .	2
Sequences . . . . .	2
Shift And Rotate . . . . .	3
Random Values . . . . .	3
Debugging . . . . .	3

## Comparisons and Ordering

```
(==)  : {a} (Cmp a) => a -> a -> Bit
(!=)  : {a} (Cmp a) => a -> a -> Bit
(===) : {a,b} (Cmp b) => (a -> b) -> (a -> b) -> a -> Bit
(!==) : {a,b} (Cmp b) => (a -> b) -> (a -> b) -> a -> Bit

(<)   : {a} (Cmp a) => a -> a -> Bit
(>)   : {a} (Cmp a) => a -> a -> Bit
(<=)  : {a} (Cmp a) => a -> a -> Bit
(>=)  : {a} (Cmp a) => a -> a -> Bit

min   : {a} (Cmp a) => a -> a -> a
max   : {a} (Cmp a) => a -> a -> a

instance Cmp Bit
// No instance for functions.
instance (Cmp a, fin n) => Cmp [n] a
instance (Cmp a, Cmp b) => Cmp (a,b)
instance (Cmp a, Cmp b) => Cmp { x : a, y : b }
```

## Arithmetic

```
(+)   : {a} (Arith a) => a -> a -> a
(-)   : {a} (Arith a) => a -> a -> a
(*)   : {a} (Arith a) => a -> a -> a
(/)   : {a} (Arith a) => a -> a -> a
(%)   : {a} (Arith a) => a -> a -> a
(^~)  : {a} (Arith a) => a -> a -> a

// No instance for `Bit`.
```

```

instance (fin n)           => Arith ( [n] Bit)
instance (Arith a)        => Arith ( [n] a)
instance (Arith b)        => Arith (a -> b)
instance (Arith a, Arith b) => Arith (a,b)
instance (Arith a, Arith b) => Arith { x : a, y : b }

```

Note that because there is no instances for `Arith Bit` the top two instances do not actually overlap.

## Boolean

```

False : Bit
True  : Bit

```

```

zero   : a
(&&)   : a -> a -> a
(||)   : a -> a -> a
(^)    : a -> a -> a
(~)    : a -> a

```

## Sequences

```

length   : {n,a,m} (m >= width n) => [n]a -> [m]

join     : {parts,ench,a} (fin each) => [parts][each]a -> [parts * each]a
split    : {parts,each,a} (fin each) => [parts * each]a -> [parts][each]a

(#)      : {front,back,a} (fin front) => [front]a -> [back]a -> [front + back]a
splitAt  : {front,back,a} (fin front) => [from + back] a -> ([front] a, [back] a)

reverse  : {n,a} (fin n) => [n]a -> [n]a
transpose : {n,m,a} [n][m]a -> [m][n]a

(@)      : {n a m}           [n]a -> [m]      -> a
(@@)     : {n a m i}         [n]a -> [m][i] -> [m]a
(!)      : {n a m} (fin n) => [n]a -> [m]      -> a
(!!)     : {n a m i} (fin n) => [n]a -> [m][i] -> [m]a

```

// Abbreviations

```

splitBy n = split`{parts = n}
groupBy n = split`{each = n}
tail n    = splitAt`{front = 1}.1
take n    = splitAt`{front = n}.0

```

```

drop n    = splitAt`{front = n}.1

/* Also, `length` is not really needed:
   length : {n,a,m} (m >= width n) => [n]a -> [m]
   length _ = `n
*/

```

## Shift And Rotate

New types:

```

(<<<)  : {n,a,m} (fin n) => [n]a -> [m] -> [n]a
(>>>)  : {n,a,m} (fin n) => [n]a -> [m] -> [n]a
(<<<<) : {n,a,m} (fin n) => [n]a -> [m] -> [n]a
(>>>>) : {n,a,m} (fin n) => [n]a -> [m] -> [n]a

```

## Random Values

```

random    : {a} => [32] -> a

```

## Debugging

```

undefined : {a} a
error      : {n a} [n] [8] -> a

```